

OLEOSTATIC GOLD



MEGADYNE

STRUCTURE

① FABRIC: Double cover ply - CR Dip

A reinforced, double fabric cover is plied around the belt to protect it against contamination and moisture. Its increased flexibility allows the belt to bend more easily around the smallest pulleys with far less strain on the fabric, while assuring a smoother running drive.

② TOP CUSHION: SBR compound + Fibers


③ TENSILE CORD: H.T. Polyester

The tensile section is made up of a multiple number of high-strength, low elongation polyester cords, completely embedded in the adhesion layers, to enhance resistance to tension and flex-fatigue.

Each cord is individually and specially coated to secure a long-lasting bond with the surrounding rubber and to grant a longer operational lifetime. In addition the belt requires significantly less re-tensioning and take-up due to its cord's consistent length stability. Longer belt life means less frequent replacement, less downtime and lower maintenance costs.

④ BOTTOM CUSHION: SBR compound + Fibers

⑤ BODY COMPOUND: Polychloroprene (CR) based




MAIN FEATURES

- Higher ratings: up to +30% more power transmission capacity than standard Oleostatic belts. This allows for the design of more compact drives and cost reduction.
- A wide range of sizes and sections, covers a wide spectrum of power ratings and speeds, to solve any new drive design issue or easily upgrade the existing drive.
- Smooth-running operation, with no vibrations and a reduced noise level, as the new low stretching cords grant less tension decay.
- MegaMatch. All belts molded to the tightest dimensional tolerances. No need for set selection.
- Static conductive according to ISO 1813.
- Environment-friendly belts, all the compounds are halogen-free and RoHS compliant.


MEGADYNE OLEOSTATIC GOLD

A NEW GENERATION OF WRAPPED V-BELTS

Different materials and design features, together with an improved production process, have led to the development of a new class of higher rated wrapped V-belts. The new OLEOSTATIC GOLD V-belts product family can operate in a wide range of industrial applications, within a large spread of load capacities and speeds — offering rated performance from 100 to 8,000 RPM and power capability from 1 to 400 kW, meanwhile granting large cost advantages for the end users



PERFORMANCE COMPARISON INDEX



OLEOSTATIC GOLD RANGE

Classical (Z, A, B, C) and narrow (SPZ, SPA, SPB, SPC) cross sections and a wrapped construction, to withstand chemically aggressive environments, heat, oil and contamination.

BELARUS**Minsk**

Phone +375 17 2802486

Info.by@megadynegroup.com

BRASIL**Sorocaba**

Phone +55 15 2101 7700

Info.br@megadynegroup.com

CANADA**Edmonton**

Phone: +1 780 461 4400

Info.ca@megadynegroup.com

Montreal

Phone: +1 514 31 2341

Info.ca@megadynegroup.com

Toronto

Phone: +1 905 602 4400

Info.ca@megadynegroup.com

CHINA**Beijing**

Phone +86 10 8150 7478

info.cn@megadynegroup.com

Fujian

Phone +86 595 8816 0309

info.cn@megadynegroup.com

Ningbo*

Phone +86 574 86505008

info.cn@megadynegroup.com

Qingdao*

Phone +86 532-86580951

info.cn@megadynegroup.com

Shanghai

Phone +86 21 5447 1473

info.cn@megadynegroup.com

Xi'an

Phone +86 29 86358108

info.cn@megadynegroup.com

COLOMBIA**Bogotá**

Phone: + 57 (1) 471 0503

Info.co@megadynegroup.com

Cartagena

Phone: + 57 (5) 672 997

Info.co@megadynegroup.com

CZECH REPUBLIC**Prague**

Phone +420 2 8481 7181

Info.cz@megadynegroup.com

FRANCE**Paris**

Phone +33 1 6079 8200

info.fr@megadynegroup.com

St. Jean De Maurienne*

info.fr@megadynegroup.com

GERMANY**Borchen**

Phone +49 5251 8735 0

info.de@megadynegroup.com

Elchingen*

info.de@megadynegroup.com

HUNGARY**Budapest**

Phone +36 23 428 628

info.hu@megadynegroup.com

INDIA**Chennai***

Phone +91 98841 81175

info.in@megadynegroup.com

ISRAEL**Caesarea**

Phone +972 4 6371485

sales@megabelt.co.il

ITALY**Turin***

Phone +39 011 926 8052

info@megadynegroup.com

Milan*

Phone +39 039 689 601

info.it@megadynegroup.com

Pescara

Phone +39 085 9700547

info.it@megadynegroup.com

Venice

Phone: +39 041 929 367

info.it@megadynegroup.com

MEXICO**Mexico C.P.**

Phone +52 55 5587 3680

info.mx@megadynegroup.com

U.S.A**California**

Phone +1 323 265 8061

info.us@megadynegroup.com

Florida

Phone +1 813 241 4111

info.us@megadynegroup.com

Georgia*

info.us@megadynegroup.com

Illinois

Phone: +1630 752 0600

info.us@megadynegroup.com

New Jersey Americas HQ

Phone +1 973 227 4904

info.us@megadynegroup.com

New York*

Phone +1 716 667-7450

info.us@megadynegroup.com

North Carolina*

info.us@megadynegroup.com

Oregon

Phone +1 503 231 7224

info.us@megadynegroup.com

Texas

Phone +1 972 438 6992

info.us@megadynegroup.com

HEADQUARTERS**ITALY Turin**

Via S. Lucia, 114

10075 Mathi (Torino)

Phone +39 011 926 8052

info@megadynegroup.com

www.megadynegroup.com

* Manufacturing locations